

**King Fahd University of Petroleum & Minerals**  
**Department of Mathematics & Statistics**  
**Math 513 Major Exam 1**  
**Term (252)**

**Date: 15 Feb. 2026 Time Allowed: 120 Minutes**

---

Name: \_\_\_\_\_ ID#: \_\_\_\_\_

Instructor: Dr. Adel Al-Mahdi. Sec #: 02. Serial #: \_\_\_\_\_

---

- Mobiles and calculators are NOT allowed in this exam.
  - Write all steps clearly.
- 

| Question # | Marks     | Maximum Marks |
|------------|-----------|---------------|
| 1          | mandatory | <b>20</b>     |
| 2          |           | 10            |
| 3          |           | 10            |
| 4          |           | 10            |
| 5          |           | 10            |
| 6          |           | 10            |
| Total      |           | 60            |

**Question 1:** Solve the following system:

$$\begin{cases} x_1' + 5x_1 + x_2' + 3x_2 = 0, \\ 2x_1' + x_1 + x_2' + x_2 = 0, \end{cases}$$

where  $x_i = x_i(t)$ ,  $i = 1, 2$ , and the primes denote the time derivative.

**Question 2:** Find the **Fourier series** of the function  $f(t)$  defined by

$$f(t) = |t|, \quad -\pi \leq t \leq \pi.$$

**Question 3:** Find the **Fourier cosine series** of the function

$$f(t) = \begin{cases} t, & 0 < t \leq 1, \\ 1, & 1 \leq t < 2. \end{cases}$$

**Question 4:**

Write the following Fourier series in the cosine phase-angle forms:

$$f(t) = -2 \sum_{n=1}^{\infty} \frac{(-1)^n}{n} \sin(nt).$$

**Question 5:** Find the complex Fourier series of  $f(t) = \begin{cases} 0, & -\pi < t < 0, \\ t, & 0 < t < \pi. \end{cases}$

**Question 6:** If the Fourier series for the odd function

$$f(t) = \begin{cases} 2t + t^2, & -2 \leq t \leq 0, \\ 2t - t^2, & 0 \leq t \leq 2, \end{cases}$$

is

$$f(t) = \frac{32}{\pi^3} \sum_{n=1}^{\infty} \frac{1}{(2n-1)^3} \sin\left(\frac{(2n-1)\pi t}{2}\right).$$

Use **Parseval's equality** to show that

$$\frac{\pi^6}{960} = \sum_{n=1}^{\infty} \frac{1}{(2n-1)^6}.$$